



Internal Doc ID#: 63119-080408

Date: 08/20/2019

ISTA 6 - Amazon.com – SIOC - A Test Report_External

VERSION DATE: 5/9/2018

ITEM INFORMATION

Vendor/Seller Name: SEVILLE CLASSICS INC.

ASIN: B001A0VYZY

Item: SHE14305

Certification Passed: ☐ Pass: Tier 1- Frustration Free Packaging (FFP)
☒ Pass: Tier 2- Ships In Own Container (SIOC)
☐ Fail: Tier 3- Enforced Over Box (EOB)

LAB INFORMATION

Testing Lab: Modern Testing Services (Dongguan) Limited

Location: No.76, Liang Ping Lu, Xin Jiu Wei Cun, Liaobu, Dongguan, Guangdong, China

Date of Test: 08/14/2019

ISTA Member/ Lab Tech: 9415/ Bill

TEST RESULTS

Tested Item Summary		
Number of Samples Tested	Number of Samples Passed	Number of Samples Failed
1	1	0

Post Test Comments:

Overview	ASIN-B001A0VYZY passed ISTA6-AMAZON.COM-SIOC Type A and is approved as SIOC.
Product Condition	There was no damage or scuffing to the product after testing.
Packaging Condition	The package was slight scuffed and dented but intact and in good condition after testing.



Internal Doc ID#: 63119-080408

Date: 08/20/2019

LAB TEST REQUEST {filled out by requestor}

Test Requestor	SEVILLE CLASSICS INC.
Project Name	SIOC for Amazon - ISTA-6A TEST
Submission Date	08/14/2019
Due Date	08/20/2019

ASIN	Manufacturer	Description
B001A0VYZY	CHAO YUON CO., LTD.	5 Tier shelving

Package Dimension	Catalog Dimensions: Not provided; Girth: Not provided; Lab Measured Dimensions: 31-3/8" x 14-1/4" x 7", Girth: 73-7/8"
Package Weight	Catalog Weight: Not provided; Lab Measured Weight: 25.7 lbs
Classification 1	SIOC
Classification 2	Parcel
Test Type	ISTA 6 –Amazon.com SIOC - A
Fragile/Non-Fragile	Non-Fragile
Value Add Packaging (VAP)	No
Value Add Packaging (VAP) Info	N/A
Total Test Samples	1
Additional Notes	N/A

PRE-TEST INSPECTION {filled out by lab}

Product Condition	Package was not opened to review product before testing.
Package Condition	Package was in new condition before testing.
Package Condition before testing	☒ ORIGINAL as arrived in the lab for testing ☐ NEW re-packaged with new materials before testing
Corrugated Info (Box Cert if available)	There is no Box Maker's Certification on master carton.
Dunnage Info	N/A
Additional Notes	N/A

**Standard Company Disclaimer:**

This test report is governed by the Terms and Conditions, available on request or accessible at <http://www.mts-global.com/en/terms.html>. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report only refer to the sample(s)

PRE-TEST PICTURES

Six sides of the ASIN package should be numbered and photographed. If a box cert is present it should be taken and recorded. Isometric picture views should be taken as called out below. Pictures of special call outs and or damage should have description of location and detailed information in the text box below the picture.

		
Side 1	Side 2	Side 3
		
Side 4	Side 5	Side 6
		
Box Cert (If Applicable)	ISO #1 Side 1/2/5	ISO #2 Sides 3/4/6

TEST DETAIL


Items in black were completed and values updated.

Test	Value	P/F	P/F	P/F	P/F	P/F	OBSERVATIONS
BLOCK 1:Temp and Humidity	23 C, 55% RH	P	NA	NA	NA	NA	Ambient Lab Temp 12+ hours
BLOCK 2: Drop 1-7	18 INCHES	P	NA	NA	NA	NA	
BLOCK 2: Drop 8	36 INCHES	P	NA	NA	NA	NA	Face 3
BLOCK 2: Drop 9	18 INCHES	P	NA	NA	NA	NA	Face 3
BLOCK 12: Vib with Top Load Face 3	160 lbs	P	NA	NA	NA	NA	
BLOCK 12: Vib with Top Load Face 4	75 lbs	P	NA	NA	NA	NA	
BLOCK 12: Vib with Top Load Face 6	30 lbs	P	NA	NA	NA	NA	
BLOCK 12: Vib Face 3 (Pick-Up Truck)	0 Lbs.	P	NA	NA	NA	NA	
BLOCK 15: Drop 10-15	18 INCHES	P	NA	NA	NA	NA	
BLOCK 15: Drop 16	36 INCHES	P	NA	NA	NA	NA	Face 6
BLOCK 15: Drop 17	18 INCHES	P	NA	NA	NA	NA	Hazard drop on Face 3
BLOCK 21: Rotational Edge Drop	Pass/fail	NA	NA	NA	NA	NA	
BLOCK 22: Full Rotational Flat Drop	Pass/fail	NA	NA	NA	NA	NA	
BLOCK 23: Bridge Impact	Pass/fail	NA	NA	NA	NA	NA	
BLOCK 24: Concentrated Edge Impact	Pass/fail	NA	NA	NA	NA	NA	
BLOCK 25: Leak Test	Pass/fail	NA	NA	NA	NA	NA	

TEST PICTURES

Pictures should be taken of each block test set up along with a post picture taken of the item at the end of each test block.

Additional pictures of damage should have locations noted, size of damages measured, and written in text box below them.








Block 2 Test Set Up


Block 2 Post Test Item Picture

Block 2 Post Test Item Picture

TEST PICTURES {continued}

		
Block 12 Face 3 Test Set up	Block 12 Face 3 Post Test Item Picture	Block 12 Face 3 Test Vibration Profile
		
Block 12 Face 4 Test Set up	Block 12 Face 4 Post Test Item Picture	Block 12 Face 4 Test Vibration Profile
		
Block 12 Face 6 Test Set up	Block 12 Face 6 Post Test Item Picture	Block 12 Face 6 Test Vibration Profile

TEST PICTURES {continued}

		
Block 12 Face 3 (Pick-Up) Test Set up	Block 12 Face 3 Post Test Item Picture	Block 12 Face 3 Test Vibration Profile

		
Block 15 Test Set Up	Block 15 Post Test Item Picture	Drop height: 18 inches

		
Block 21 Test Set Up	Block 21 Post Test Item Picture	




TEST PICTURES {continued}

Block 22 Test Set Up	Block 22 Post Test Item Picture	

Block 23 Test Set Up	Block 23 Post Test Item Picture	


Block 24 Test Set Up	Block 24 Post Test Item Picture	

TEST PICTURES {continued}




POST TEST PICTURES

Isometric views of the box should be taken as called out in first two picture spots. An exploded BOM view should be added to the third slot. Additional pictures of damage should have locations noted, size of damages measured, and written in text box below them.



POST TEST PICTURES {continued}

		
Metal frame-No damage	Metal posts packed by polybags and protected by cardboards	Instruction paper

		
Four wheels and Wrench-No damage	Forty-two components-No damage	Hardware-No damage

END OF REPORT