



## NSF PRODUCT CERTIFICATION AUDIT REPORT

### 002 - Food Equipment

| Company Information      |                                                                                                  | Audit Information       |                         |
|--------------------------|--------------------------------------------------------------------------------------------------|-------------------------|-------------------------|
| <b>Facility Name</b>     | Chao Yuon Co., Ltd. No. 18, Zhangbin E. 10th Rd. Xianxi Township, Changhua County 507001, Taiwan | <b>NSF Auditor</b>      | Jackie Hsu              |
| <b>Facility#</b>         | C0612907                                                                                         | <b>Audit Start Time</b> | 20-MAR-2026 09:30:00 AM |
| <b>Facility Contact</b>  | Mr. Roy Ko                                                                                       | <b>Audit End Time</b>   | 20-MAR-2026 03:30:00 PM |
| <b>Phone</b>             | 886 4 791 1222                                                                                   | <b>Audit Type</b>       | 002 - Ver 2.4           |
| <b>Fax</b>               |                                                                                                  | <b>Audit Category</b>   | RECURRING               |
| <b>Email</b>             | service@wire-racking.com                                                                         | <b>Audit# - Visit#</b>  | 4741298 - 3933609       |
| <b>Corporate Name</b>    | Chao Yuon Co., Ltd.                                                                              |                         |                         |
| <b>Corporate #</b>       | C0357230                                                                                         |                         |                         |
| <b>Corporate Contact</b> | Mr. Roy Ko                                                                                       |                         |                         |

| Visit Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 1                 | Today's audit was conducted with:<br><b>Other Participants: Mr. Roy Ko/Sales</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | See Notes      |
| 2                 | Areas of the facility observed:<br><b>Production Inspection of production areas, including Incoming Material Storage,Raw Material Storage Area, Production Area, QC Area, Packaging Area and Finished Goods Storage. There was no production of certified Wire Rack for Dry Environments Only,Wireshef for Dry Environments Only taking place on-site, but there were samples SH2460572CWA,SH2460C in the warehouse.</b><br><b>Product Storage Areas verified the NSF-listed products (e.g., SH2460572CWA,SH2460C) and non-NSF-listed products at the warehouse. NSF-listed products (SH2460572CWA,SH2460C) were identified in the storage area; however, the NSF marking was present on the NSF-listed products.</b><br><b>Testing (QC) Areas Incoming Quality Control (IQC)-Visual Inspection, and Outgoing Quality Control (OQC) -Including Foundation Testing. Records/Admin. Reviewed the Documentation Reports (DCC# FA07308), P/O, COA, Inspection Reports.</b><br><b>Raw Material Storage Related materials and components were verified and found in the inventory area.</b><br><b>Shipping/Receiving Reviewed related area.</b> | See Notes      |
| 3                 | Material/Formulation verifications completed via:<br><b>Purchase Records</b><br><b>Certificates of Analysis COA#T2301048(Cold rolled steel sheet),COA#R1140219001(Carbon steel hot rolled wire rod)</b><br><b>Letter of Certification</b><br><b>Label/Packaging Review</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | See Notes      |
| 4                 | QC/QA Testing observed:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Not Applicable |



|   |                                                                                                                                                                              |                |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 5 | Product sampling information:                                                                                                                                                | Not Applicable |
| 6 | Number of Corrective Actions for items of nonconformance cited in this audit that your organization is responsible for addressing:<br><b>Number of Nonconformances: ZERO</b> | See Notes      |
| 7 | Enforcement Actions taken during audit:                                                                                                                                      | Not Applicable |
| 8 | This audit was conducted:<br><b>On Site</b><br><b>Additional Notes: One CAR was left from previous audit. No deficiency was cited during the audit.</b>                      | See Notes      |

**General Policies**

|    |                                                                                                                                                                               |                |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 9  | Prompt access was granted and assistance provided for audits and sampling.                                                                                                    | Acceptable     |
| 10 | Registered document(s) issued by NSF demonstrating that product (or family of products) conforms to all applicable requirements for Certification are maintained at facility. | Acceptable     |
| 11 | Records are maintained for purchase of ingredients, materials, components; production, inventory, and shipment of Certified Products; and complaints.                         | Acceptable     |
| 12 | Fully compliant new product bearing the Mark appears in Listing, has correct trade designation, and is produced at an authorized location.                                    | Acceptable     |
| 13 | Private labeled Certified Products are marked properly.                                                                                                                       | Acceptable     |
| 14 | Use of the Mark on advertising, packaging, and literature is appropriate.                                                                                                     | Acceptable     |
| 15 | Company has notified NSF of any changes to a Listed product.                                                                                                                  | Not Applicable |
| 16 | Company provides and ships samples when selected by NSF.                                                                                                                      | Acceptable     |
| 17 | Company has responded successfully to all items of noncompliance and corrective actions are verifiable.                                                                       | Acceptable     |

**Program Specific Criteria**

|    |                                                                                                                                                                                                                                                   |            |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 18 | Packages, containers, materials or individual Certified Products bear the NSF Mark or are exempted; utilize authorized trade designation or model number; and fulfill all marking requirements.                                                   | Acceptable |
| 19 | Only authorized ingredients, materials or components are used in the manufacturing of Certified product.                                                                                                                                          | Acceptable |
| 20 | All appropriate audits (initial and annual) have been conducted. If the facility participates in NSF's credentialing program it is confirmed that at least one individual at that production facility is currently credentialed.                  | Acceptable |
| 21 | All appropriate reevaluations and/or performance testing has been completed against applicable criteria within the required frequency.                                                                                                            | Acceptable |
| 22 | Equipment is designed to meet all design and construction requirements, including: accessible, easily cleanable, or closed; prevents the harborage of vermin and accumulation of dirt and debris; and allows inspection, servicing, and cleaning. | Acceptable |
| 23 | Internal and external angles and corners are smooth. Internal angles and corners adhere to radii requirements. All joints and seams are either sealed and smooth, closed, and meet all radii requirements.                                        | Acceptable |
| 24 | Fasteners are not used in a Food Zone. All fasteners are easily cleanable, tight                                                                                                                                                                  | Acceptable |



|    |                                                                                                                                                                                                                                                                                                                                                        |                |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|    | fitting, have an acceptable number of washers included, and meet exposed thread requirements applicable to the appropriate zone.                                                                                                                                                                                                                       |                |
| 25 | Insulation, reinforcing, framing, and maintenance panels meet all exposure, accessibility, and clean-ability requirements.                                                                                                                                                                                                                             | Acceptable     |
| 26 | Doors, door tracks and guides, door closers, handles, knobs, and pulls are easily cleanable, and meet all size and accessibility restrictions.                                                                                                                                                                                                         | Not Applicable |
| 27 | All hinges and covers are appropriate for their location; are designed to allow easy clean-ability; and all corners or covers meet radii requirements.                                                                                                                                                                                                 | Not Applicable |
| 28 | Edgings and nosing's meet all structural requirements.                                                                                                                                                                                                                                                                                                 | Not Applicable |
| 29 | Openings located in a Food Zone are protected to prevent entry of seepage.                                                                                                                                                                                                                                                                             | Not Applicable |
| 30 | Louvers are of a deflecting design or are readily removable. Screening on openings is removable and 16 mesh.                                                                                                                                                                                                                                           | Not Applicable |
| 31 | Hardware, handles and pulls, latches and catches, and breaker strips meet all structural, material, and clean-ability requirements.                                                                                                                                                                                                                    | Acceptable     |
| 32 | All mounted equipment meets elevation requirements or is portable. All mounted equipment, legs and feet, casters, rollers, and gliders meet all structural and clean-ability requirements.                                                                                                                                                             | Acceptable     |
| 33 | Open display stands and brackets, counter tray stands, shelving, counter steps, and platforms meet all structural and clean-ability requirements. Shelf surfaces exposed to unpackaged foods conform to sect 5.2. Shelving identifies in the Official Listing as to whether the products are acceptable for all environments, or for dry storage only. | Acceptable     |
| 34 | Pipe chases and enclosed spaces meet all accessibility requirements and are designed to prevent vermin harborage.                                                                                                                                                                                                                                      | Not Applicable |
| 35 | Food and flatware containers and drawers meet all Food Zone requirements. Food and flatware containers and drawers; pots, pans, and utensils; insets; bins; and ice pans and bins meet all structural, clean-ability, and radii requirements . Ice pans and bins meet labeling requirements.                                                           | Not Applicable |
| 36 | Food display cases and food shields conform to all structural, clean-ability, and material requirements. Food shields conform to all applicable requirements.                                                                                                                                                                                          | Not Applicable |
| 37 | Self-leveling storage systems conform to all structural and clean-ability requirements.                                                                                                                                                                                                                                                                | Not Applicable |
| 38 | Dipper wells conform to all structural, distance, radii, and clean-ability requirements. Dipper wells installed in a Food Zone conform to all Food Zone requirements and are readily removable.                                                                                                                                                        | Not Applicable |
| 39 | Sink surfaces conform to the applicable food zone requirements. Sinks, dish tables and accessories conform to all structural, clean-ability, and size requirements.                                                                                                                                                                                    | Not Applicable |
| 40 | Sound dampening materials are applied in a manner that prevents dirt or debris from collecting. The material is non-absorbent and complies with the requirements of Sect 4.3.                                                                                                                                                                          | Not Applicable |
| 41 | Back splashes and tops of counters, tables, and back bars conform to all structural requirements.                                                                                                                                                                                                                                                      | Not Applicable |
| 42 | Breakable glass components and light fixtures conform to all structural, labeling, protection, and clean-ability requirements. Light fixtures meet the construction and material requirements for the zone of intended use.                                                                                                                            | Not Applicable |
| 43 | Thermometers are easily readable and conform to all structural, material, clean-ability, and accuracy requirements. The temperature range of the thermometer is indicated the company's Official Listing.                                                                                                                                              | Not Applicable |
| 44 | Beverage stands (beverage counter), water stations, drip troughs, counter-top                                                                                                                                                                                                                                                                          | Not Applicable |



|    |                                                                                                                                                                                                                                                                                                                             |                |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|    | openings, and syrup and crushed fruit containers conform to all structural requirements. Syrup and crushed fruit containers conform to all radii requirements.                                                                                                                                                              |                |
| 45 | Food dispensing pumps conform to all structural and clean-ability requirements.                                                                                                                                                                                                                                             | Not Applicable |
| 46 | Canopies and hoods conform to all structural, clean-ability, and zone requirements. All filters are readily removable, and all baffles, turning vanes, and sliding dampers are readily accessible or readily removable.                                                                                                     | Not Applicable |
| 47 | All Baker's tables and cutting boards conform to all structural and material requirements. Wood top Baker's tables and cutting boards include manufacturer's instructions.                                                                                                                                                  | Not Applicable |
| 48 | Plumbing connections conform to all structural, clean-ability, and material requirements.                                                                                                                                                                                                                                   | Not Applicable |
| 49 | Wheeled food service equipment conforms to all structural and clean-ability requirements.                                                                                                                                                                                                                                   | Not Applicable |
| 50 | Conveyors conform to all structural, material, clean-ability, and accessibility requirements. Strainer baskets, if included, are readily removable.                                                                                                                                                                         | Not Applicable |
| 51 | Enclosed food transport carts and cabinets conform to all structural and clean-ability requirements.                                                                                                                                                                                                                        | Not Applicable |
| 52 | Custom equipment conforms to all applicable sections of NSF/ANSI 2, and all performance requirements. The company shall represent custom equipment as Certified only for categories of products that appear in the Official NSF Listing for that company.                                                                   | Not Applicable |
| 53 | Dinnerware products shall have a permanent marking or an identification plate that denotes the manufacturer's name and product model number. If the manufacturer has more than one production location for the dinnerware product, then the production location shall be identified on the marking or identification plate. | Not Applicable |
| 54 | All equipment certified to NSF/ANSI 2 conforms to all applicable requirements outlined in Sect 6.                                                                                                                                                                                                                           | Acceptable     |
| 55 | All equipment certified to NSF/ANSI 2 that is provided with a security package meets all design, construction, and labeling requirements outlined in Sect 7.                                                                                                                                                                | Acceptable     |
| 56 | Equipment specifically designated for use aboard marine vessels conforms to all material as well as design and construction requirements as outlined in Sect 8.                                                                                                                                                             | Not Applicable |
| 57 | No other evidence of non conformance to certification criteria noted at the time of the audit.                                                                                                                                                                                                                              | Acceptable     |

**Evaluation-01**

|    |                                               |                                     |
|----|-----------------------------------------------|-------------------------------------|
| 58 | What product was evaluated?                   | Wire Rack for Dry Environments Only |
| 59 | What is the Model Number/Trade Designation?   | SH2460572CWA                        |
| 60 | What is the production status?                | Inventory/Complete                  |
| 61 | What is the standard?                         | STD.002                             |
| 62 | What is the Family Code?                      | AA                                  |
| 63 | Is the product Listed, Applied or Not Listed? | Listed                              |

**Evaluation-02**



|    |                                               |                                    |
|----|-----------------------------------------------|------------------------------------|
| 58 | What product was evaluated?                   | Wireshef for Dry Environments Only |
| 59 | What is the Model Number/Trade Designation?   | SH2460C                            |
| 60 | What is the production status?                | Inventory/Incomplete               |
| 61 | What is the standard?                         | STD.002                            |
| 62 | What is the Family Code?                      | AB                                 |
| 63 | Is the product Listed, Applied or Not Listed? | Listed                             |

| Audit Contact    | Signature                                                                         | Date Signed             |
|------------------|-----------------------------------------------------------------------------------|-------------------------|
| Mr. Roy Ko/Sales |  | 20-Mar-2026 11:10:46 PM |

If you have any questions please submit inquiries to [CAR-PC@nsf.org](mailto:CAR-PC@nsf.org).